

Message

From: Hirsh, Steven [Hirsh.Steven@epa.gov]
Sent: 5/16/2018 9:55:00 PM
To: Yap-deffler, Yazmine [Yap-Deffler.Yazmine@epa.gov]
Subject: Re: Blades Groundwater - Public Meeting

Let me know what he hears from DNREC.

Thanks
Steve

Steven Hirsh, Associate Director
Federal Facilities Remediation and Site Assessment
Hazardous Site Cleanup Division
US EPA Region III

Desk: (215) 814-3352 Cell: (215) 514-9015
hirsh.steven@epa.gov

On May 16, 2018, at 5:04 PM, Yap-deffler, Yazmine <Yap-Deffler.Yazmine@epa.gov> wrote:

Ex. 5 Deliberative Process (DP)

Thanks,
Yaz

Yazmine J. Yap-Deffler, Chief
Site Assessment & Non-NPL Federal Facilities Branch (3HS12)
US EPA Region III
1650 Arch Street
Philadelphia, PA 19103
215-814-3369 (Office)
267-761-2089 (Cell)
yap-deffler.yazmine@epa.gov

From: O'Loughlin, Connor
Sent: Wednesday, May 16, 2018 4:36 PM
To: Yap-deffler, Yazmine <Yap-Deffler.Yazmine@epa.gov>
Subject: Blades Groundwater - Public Meeting

Yazmine,

I spoke with the Town of Blades Administrator Vikki Prettyman today on the phone. She and I spoke about site access and some other site inspection related issues. I wanted to bring up a portion of the conversation I had with her that I thought you should consider.

Ex. 5 Deliberative Process (DP)

Thank you.

Connor O'Loughlin P.G.
Environmental Protection Agency, Region III
Site Assessment Manager, HSCD
1650 Arch Street,
Philadelphia, PA 19103-2029
phone 215-814-3304
Cell 412-779-0444